GR Supra Dynamic Press Launch (DPL)



Brussels, May 26, 2025

GR Supra Specifications

ENGINE	2.0 l Twin-Scroll Turbo 8 A/T	3.0 l Twin-Scroll Turbo 8 A/T	3.0 l Twin-Scroll Turbo 6 M/T	3.0 l Twin-Scroll Turbo A90 Final Edition 6 M/T
Engine Code	B48B20O1	B58B30M1	B58B30M1	B58B30B
Number of cylinders	4 in line	6 in line	6 in line	6 in line
Fuel injection system	Direct injection	Direct injection	Direct injection	Direct injection
Displacement (cc)	1998	2998	2998	2998
Bore x stroke (mm x mm)	82 x 94.6	82 x 94.6	82 x 94.6	82 x 94.6
Compression ratio	10.2:1	11.0:1	11.0:1	10.2:1
Maximum output (DIN hp)	258	340	340	441
Maximum output (kW@rpm)	190/6500	250/6500	250/6500	324/6000
Maximum torque (Nm@rpm)	400/1550-4400	500/1600-4500	500/1600-4500	571/4500-4500
PERFORMANCE				
Maximum speed (km/h)	250	250	250	275
Acceleration 0-100 km/h (sec)	5.2	4.3	4.6	4.3
SUSPENSION				
Front	Double-joint type MacPherson strut	Double-joint type MacPherson strut	Double-joint type MacPherson strut	Double-joint type MacPherson strut
Rear	Multi-link	Multi-link	Multi-link	Multi-link
BRAKES				
Front	Ventilated disc 1-cylinder/ Ventilated disc 4-cylinder	Ventilated disc 4-cylinder	Ventilated disc 4-cylinder	Ventilated disc 4-cylinder
Rear	Ventilated disc 1-cylinder	Ventilated disc 1-cylinder	Ventilated disc 1-cylinder	Ventilated Disc 1-Cylinder

ENVIRONMENTAL PERFORMANCE	2.0 l Twin-Scroll Turbo 8 A/T	3.0 l Twin-Scroll Turbo 8 A/T	3.0 l Twin-Scroll Turbo 6 M/T	3.0 l Twin-Scroll Turbo A90 Final Edition 6 M/T
Fuel consumption (applicable legislation)				
Combined speeds (l/100 km)	7.1	8.1	8.8	9.0
Low speed (l/100 km)	9.8	12.0	12.8	n/a
Medium speed (l/100 km)	7.0	8.0	8.7	n/a
High speed (l/100 km)	6.1	7.0	7.6	n/a
Extra high speed (l/100 km)	7.0	7.7	8.4	n/a
Fuel grade - recommended	95/91 MIN	95/91 MIN	95/91 MIN	95/95 MIN
Fuel tank capacity (l)	52	52	52	52
Carbon dioxide, CO₂ (applicable legislation)				
Combined speeds (g/km)	161	183	198	204
Medium speed (g/km)	157	181	195	n/a
High speed (g/km)	139	158	171	n/a
Extra high speed (g/km)	159	173	189	n/a
Exhaust emissions (Regulation EC/715/2007 as a	mended by EU 2018/1832 AP)			
Euro class	EURO 6E	EURO 6E	EURO 6E	EURO 6B
Carbon monoxide, CO (mg/km)	112.7	151.8	151.8	n/a
Nitrogen Oxides, NOx (mg/km)	11.6	9.0	9.0	n/a
Hydrocarbons, NMHC (mg/km)	11.6	14.8	14.8	n/a
Hydrocarbons, THC (mg/km)	15.4	17.9	17.9	n/a
Smoke particulates (mg/km)	0.18	0.14	0.14	n/a
Sound level drive by (dB(A))	68	67	67	71

The fuel consumption and CO₂ values are measured in a controlled environment on a representative production model, in accordance with the requirements of the new WLTP European regulation EC 2017/1151 and its applicable amendments. For each individual vehicle configuration, the final fuel consumption and CO₂ values may be calculated based on the ordered optional equipment. The fuel consumption and CO₂ values of your vehicle may vary from those measured or calculated values, as driving behaviour as well as other factors (such as road conditions, traffic, vehicle condition, tyre pressure, load, number of passengers, etc.) have an influence on a car's fuel consumption and CO₂ emissions.

GR Supra Dynamic Press Launch (DPL)



Brussels, May 26, 2025

WEIGHTS & TOWING CAPACITY	2.0 l Twin-Scroll Turbo 8 A/T	3.0 l Twin-Scroll Turbo 8 A/T	3.0 l Twin-Scroll Turbo 6 M/T	3.0 l Twin-Scroll Turbo A90 Final Edition 6 M/T		
Total gross vehicle mass (kg)	1710	1815	1795	1795		
Kerb weight (kg)	1422	1515	1500	1520		
Mass in running order (kg)	1497	1590	1575	1595		
Towing capacity without brakes (kg)	0	0	0	0		
EXTERIOR DIMENSIONS						
Length (mm)	4379	4379	4379	4379		
Width (mm)	1867	1867	1867	1867		
Height (mm)	1292	1299	1299	1276		
Front tread (mm)	1594	1594	1594	1595		
Rear tread (mm)	1589	1589	1589	1585		
Overhang front (mm)	958	958	958	958		
Overhang rear (mm)	951	951	951	951		
Wheelbase (mm)	2470	2470	2470	2470		
INTERIOR DIMENSIONS	2-door					
Number of seats	2					
Interior width (mm)	1460					
Interior height (mm)	972					

