



ŠKODA OCTAVIA RS

Technical specifications	2.0 TSI/169 kW	2.0 TSI/169 kW (A)	2.0 TDI/135 kW	2.0 TDI/135 kW (A)	2.0 TDI/135 kW 4×4 (A)	
Engine						
Engine type	turbocharged petrol engine, in-line, liquid cooling system, DOHC, transverse in front		turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, DOHC, transverse in front			
Cylinders	4		4			
Displacement [cm ³]	1984		1968			
Bore × Stroke [mm × mm]	82.5 × 92.8		81.0 × 95.5			
Max. engine performance/revs [kW at rpm]	169/4700-6200		135/3500-4000			
Max. torque/revs [Nm at rpm]	350/1500-4600		380/1750-3250			
Compression ratio	9.6:1					
Emission limit			EU 6			
Fuel injection system	electronically controlled combined (direct and port) injection electronically controlled high-		ed high-pressure direct in system	high-pressure direct injection – common-rail system		
Ignition	control unit controlled e	lectronic ignition system	-			
Lubrication	force-feed lubrication with through-flow oil filter					
Fuel quality	unleaded petr	ol min. RON 95	diesel			
Transmission						
Wheel drive	front wheel drive autom			four-wheel drive with automatic torque distribution		
Clutch	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial wet multiple-disk clutch, electro-hydraulically operated	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial wet multiple-disk clutch, electro- hydraulically operated		
Transmission	manual 6-speed fully synchronized	automatic 6-speed, DSG, with Tiptronic manual gear changing	manual 6-speed fully synchronized	automatic 6-speed, DSG, with Tiptronic manua gear changing		
Transmission ratio	I-3.77 II-2.09 III-1.47 IV-1.15 V-1.17 VI-0.97 R-4.55	I-2.93 II-1.79 III-1.13 IV-0.77 V-0.81 VI-0.64 R-3.35	I-3.77 II-2.09 III-1.32 IV-0.92 V-0.90 VI-0.76 R-4.55	I-3.46 II-1.91 III-1.13 IV-0.76 V-0.76 VI-0.62 R-3.99	I-3.46 II-1.90 III-1.13 IV-0.76 V-0.76 VI-0.62 R-3.99	
Axle ratio	3.45/2.76	4.77/3.44	3.45/2.76	4.38/3.33	4.38/3.33	

1/3 10. 1. 2017





ŠKODA OCTAVIA RS

Technical specifications		2.0 TSI/169 kW	2.0 TSI/169 kW (A)	2.0 TDI/135 kW	2.0 TDI/135 kW (A)	2.0 TDI/135 kW 4×4 (A)		
Chassis								
Front axle	MacPherson suspension with lower t			with lower triangular lin	ks and torsion stabiliser			
Rear axle		multi-element axle, with one longitudinal and three transverse links, with torsion stabiliser				abiliser		
Springs		telescopic shock absorbers with coil springs, in the rear outside the springs						
Braking system		hyd	hydraulic dual-diagonal circuit braking system vacuum assisted with Dual Rate system					
Brake - front		disc brakes with inner cooling, with single/piston floating caliper						
Brake – rear	disc brakes							
Parking brake		manual, on rear wheels						
Steering system		direct rack and pinion steering with electro mechanic power steering						
Wheels		7.5J × 17"						
Tyres		225/45 R17						
Body								
Body		5 door, two compartment, 5 seater						
Drag coefficient c _w	Drag coefficient c _w		0.296 0.291					
Outside dimensions								
Length	[mm]	4689						
Width	[mm]	1814						
Height (at kerb weight)	[mm]	1448						
Wheel base	[mm]	2680						
Clearance (at kerb weight)	[mm]	127						
Height of the loading sill (at kerb weight)	[mm]	687						
Track front	[mm]	1535						
Track rear	[mm]	1544						
Inside dimensions								
Width of front seats	[mm]	1454						
Width of rear seats	[mm]	1449						
Headroom in front seats	[mm]	983						
Headroom in rear seats	[mm]	980						
Storage capacity	[1]	590						
Storage capacity with rear seatback folded down	[1]	1580						

2/3 10. 1. 2017





ŠKODA OCTAVIA RS

Technical specifications		2.0 TSI/169 kW	2.0 TSI/169 kW (A)	2.0 TDI/135 kW	2.0 TDI/135 kW (A)	2.0 TDI/135 kW 4×4 (A)
Weights						
Kerb weight – incl. driver*	[kg]	1420	1440	1445	1465	1550
Payload – incl. driver*	[kg]			542		
Total weight	[kg]	1887	1907	1912	1932	2017
Max. roof load	[kg]	75				
Max. trailer load w/o brakes	[kg]	710	720	720	730	750
Max. trailer load with brakes – 12%	[kg]		1800			
Max. trailer load with brakes – 8%	[kg]		2000			
Max. nose weight	[kg]	75				
Liquids						
Tank capacity	[1]		55			
Performance/consumption						
Maximum speed	[km/h]	250	249	232	230	228
Acceleration 0-100 km/h	[s]	6.7	6.8	7.9	7.9	7.6
Fuel consumption (1999/100/EC)						
Consumption – urban	[l/100 km]	7.9	8.5	5.3	5.8	5.9
Consumption – extra-urban	[l/100 km]	5.5	5.5	4.1	4.4	4.7
Consumption – combined	[l/100 km]	6.5	6.6	4.5	4.9	5.1
CO ₂ emissions	[g/km]	149	149	119	129	134
Turning circle diameter	[m]			10.5		

^{**} Figures apply to basic version, weight of driver 75 kg.

3/3 10. 1. 2017