



## ŠKODA OCTAVIA COMBI RS

Technical specifications	2.0 TSI/169 kW	2.0 TSI/169 kW (A)	2.0 TDI/135 kW	2.0 TDI/135 kW (A)	2.0 TDI/135 kW 4x4 (A)
<b>Engine</b>					
Engine type	turbocharged petrol engine, in-line, liquid cooling system, DOHC, transverse in front		turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, DOHC, transverse in front		
Cylinders	4		4		
Displacement [cm <sup>3</sup> ]	1984		1968		
Bore × Stroke [mm × mm]	82.5 × 92.8		81.0 × 95.5		
Max. engine performance/revs [kW at rpm]	169/4700–6200		135/3500–4000		
Max. torque/revs [Nm at rpm]	350/1500–4600		380/1750–3250		
Compression ratio	9.6 : 1		15.8 : 1		
Emission limit	EU 6				
Fuel injection system	electronically controlled combined (direct and port) injection		electronically controlled high-pressure direct injection – common-rail system		
Ignition	control unit controlled electronic ignition system		-		
Lubrication	force-feed lubrication with through-flow oil filter				
Fuel quality	unleaded petrol min. RON 95		diesel		
<b>Transmission</b>					
Wheel drive	front wheel drive				four-wheel drive with automatic torque distribution
Clutch	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial wet multiple-disk clutch, electro-hydraulically operated	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial wet multiple-disk clutch, electro-hydraulically operated	
Transmission	manual 6-speed fully synchronized	automatic 6-speed, DSG, with Tiptronic manual gear changing	manual 6-speed fully synchronized	automatic 6-speed, DSG, with Tiptronic manual gear changing	
Transmission ratio	I-3.77 II-2.09 III-1.47 IV-1.15 V-1.17 VI-0.97 R-4.55	I-2.93 II-1.79 III-1.13 IV-0.77 V-0.81 VI-0.64 R-3.35	I-3.77 II-2.09 III-1.32 IV-0.92 V-0.90 VI-0.76 R-4.55	I-3.46 II-1.91 III-1.13 IV-0.76 V-0.76 VI-0.62 R-3.99	I-3.46 II-1.90 III-1.13 IV-0.76 V-0.76 VI-0.62 R-3.99
Axle ratio	3.45/2.76		4.77/3.44		4.38/3.33



## ŠKODA OCTAVIA COMBI RS

Technical specifications		2.0 TSI/169 kW	2.0 TSI/169 kW (A)	2.0 TDI/135 kW	2.0 TDI/135 kW (A)	2.0 TDI/135 kW 4x4 (A)
<b>Chassis</b>						
Front axle		MacPherson suspension with lower triangular links and torsion stabiliser				
Rear axle		multi-element axle, with one longitudinal and three transverse links, with torsion stabiliser				
Springs		telescopic shock absorbers with coil springs, in the rear outside the springs				
Braking system		hydraulic dual-diagonal circuit braking system vacuum assisted with Dual Rate system				
Brake – front		disc brakes with inner cooling, with single/piston floating caliper				
Brake – rear		disc brakes				
Parking brake		manual, on rear wheels				
Steering system		direct rack and pinion steering with electro mechanic power steering				
Wheels		7.5J x 17"				
Tyres		225/45 R17				
<b>Body</b>						
Body		5 door, two compartment, 5 seater				
Drag coefficient $c_w$		0.312		0.307		0.308
<b>Outside dimensions</b>						
Length	[mm]	4689				
Width	[mm]	1814				
Height (at kerb weight)	[mm]	1452				
Wheel base	[mm]	2680				
Clearance (at kerb weight)	[mm]	127				
Height of the loading sill (at kerb weight)	[mm]	619				
Track front	[mm]	1535				
Track rear	[mm]	1544				
<b>Inside dimensions</b>						
Width of front seats	[mm]	1454				
Width of rear seats	[mm]	1449				
Headroom in front seats	[mm]	983				
Headroom in rear seats	[mm]	995				
Storage capacity	[l]	610				
Storage capacity with rear seatback folded down	[l]	1740				



## ŠKODA OCTAVIA COMBI RS

Technical specifications		2.0 TSI/169 kW	2.0 TSI/169 kW (A)	2.0 TDI/135 kW	2.0 TDI/135 kW (A)	2.0 TDI/135 kW 4x4 (A)
<b>Weights</b>						
Kerb weight – incl. driver*	[kg]	1442	1462	1467	1487	1572
Payload – incl. driver*	[kg]	566				
Total weight	[kg]	1933	1953	1958	1978	2063
Max. roof load	[kg]	75				
Max. trailer load w/o brakes	[kg]	720	730	730	740	750
Max. trailer load with brakes – 12%	[kg]	1600				1800
Max. trailer load with brakes – 8%	[kg]	1800				2000
Max. nose weight	[kg]	75				
<b>Liquids</b>						
Tank capacity	[l]	50				55
<b>Performance/consumption</b>						
Maximum speed	[km/h]	247	245	230	228	224
Acceleration 0–100 km/h	[s]	6.8	7.0	8.0	8.0	7.7
Fuel consumption (1999/100/EC)						
Consumption – urban	[l/100 km]	7.9	8.5	5.3	5.8	5.9
Consumption – extra-urban	[l/100 km]	5.5	5.5	4.1	4.4	4.7
Consumption – combined	[l/100 km]	6.5	6.6	4.5	4.9	5.1
CO <sub>2</sub> emissions	[g/km]	149	149	119	129	134
Turning circle diameter	[m]	10.5				

\*\* Figures apply to basic version, weight of driver 75 kg.