## JAGUAR F-PACE 23MY - TECHNICAL DATA

## UNDER EMBARGO UNTIL

	_							
ENGINE	Ingenium 163PS MHEV Diesel AWD	Ingenium 204PS MHEV Diesel AWD	Ingenium 300PS Diesel AWD	Ingenium 300PS MHEV Diesel AWD	Ingenium 250PS Petrol AWD	Ingenium 340PS MHEV Petrol AWD	Ingenium 400PS MHEV Petrol AWD	P400e 404PS PHEV Petrol AWD
Engine type	Inline-4, 16 valve, electronic control, direct injection	Inline-4, 16 valve, electronic control, direct injection	Inline-6, 24 valve, electronic control, direct injection	Inline-6, 24 valve, electronic control, direct injection	Inline-4, 16 valve, electronic control, direct injection	Inline-6, 24 valve, electronic control, direct injection	Inline-6, 24 valve, electronic control, direct injection	Inline-4, 16 valve, electronic control, direct injection
Displacement (cc)	1.997	1.997	2.996	2.996	1.997	2.995	2.995	1.997
Bore / Stroke (mm)	83.0 / 92.31	83.0 / 92.31	83.0 / 92.31	83.0 / 92.31	83.0 / 92.29	83.0 / 92.29	83.0 / 92.29	83.0 / 92.29
Compression ratio	16.5 +/- 0.5 :1	16.5 +/- 0.5 :1	15.5:1	15.5:1	10.5+/-0.5 :1	10.5:1	10.5:1	9.5+/-0.5 :1
Electric motor	Claw pole PM	Claw pole PM	n/a	Claw pole PM	n/a	Claw pole PM	Claw pole PM	Permanent Magnet
Battery type	Lithium-ion	Lithium-ion	n/a	Lithium-ion	n/a	Lithium-ion	Lithium-ion	Lithium-ion
Max Power	163PS / 120kW @ 3,750-4,000rpm	204PS / 150kW @ 3,750-4,000rpm	300PS / 221kW @ 4,000rpm	300PS / 221kW @ 4,000rpm	250PS / 184kW @ 5,500rpm	340PS / 250kW @ 5,500-6,500rpm	400PS / 294kW @ 5,500-6,500rpm	404PS / 297kW @ 5,500rpm
Max Torque	380Nm / 280lbft @ 1,500 - 2,500rpm	430Nm / 317lbft @ 1,750-2,500rpm	650Nm / 479lbft @ 1,500-2,500rpm	650Nm / 479lbft @ 1,500-2,500rpm	365Nm / 269lbft @ 1,300-4,500rpm	480Nm / 354lbft @ 1,500-4,500rpm	550Nm / 406lbft @ 2,000-5,000rpm	640Nm / 472lbft @ 1,500-4,400rpm
Euro standard	EU6d	EU6d	EU5	EU6d	EU6d	n/a	EU6d	EU6d
Transmission	ZF (8HP51) 8-speed automatic	ZF (8HP51) 8-speed automatic	ZF (8HP76X) 8-speed automatic	ZF (8HP76X) 8-speed automatic	ZF (8HP45) 8-speed automatic	ZF (8HP76X) 8-speed automatic	ZF (8HP76X) 8-speed automatic	ZF (8P75XPH) 8-speed automatic
1st	5,250	5,250	5,500	5,500	4,714	5,500	5,500	4,714
2nd	3,360	3,360	3,520	3,520	3,143	3,520	3,520	3,143
2-4	2,172	2,172	2,200	2,200	2,106	2,200	3,520 2,200	2,106
310							·	•
4111	1,720	1,720	1,720	1,720	1,667	1,720	1,720	1,667
5th	1,316	1,316	1,317	1,317	1,285	1,317	1,317	1,285
6th	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
7th	0,822	0,822	0,823	0,823	0,839	0,823	0,823	0,839
8th	0,640	0,640	0,640	0,640	0,667	0,640	0,640	0,667
Reverse	-3,712	-3,712	-3,993	-3,993	-3,295	-3,993	-3,993	-3,371
Final drive ratio	3,23	3,23	3,23	3,23	3,73	3,73	3,73	3,73
Fuel tank capacity (usable) (litres)	62	62	68	68	83	83	83	69
AdBlue tank capacity (litres)	17	17	17	17	n/a	n/a	n/a	n/a
Front brakes (ventilated discs) (mm)	350	350	370	370	n/a 350	n/a 370	n/a 370	370
Rear brakes (ventilated discs) (mm)								
near prakes (ventriated discs) (mm)	325	325	325	325	325	325	325	325
Steering	Electric Power Assisted Steering (EPAS) rack and pinion; variable ratio							
All-wheel drive system	Torque on-demand all-wheel drive with Intelligent Driveline Dynamics							
Front suspension	Double wishbone suspension, coil springs							
Rear suspension				Integral Link si	uspension with coil springs			
EXTERIOR DIMENSIONS					4.747			
Overall length (mm)					4.747			
Overall height (with antennae) (mm)					1.664			
Overall width (mirrors folded) (mm)					2.071			
Overall width (mirrors unfolded) (mm)					2.175			
Wheelbase (mm)					2.874			
Front overhang (mm)					845			
Rear overhang (mm)	1.028							
Front track (mm)					1.640			
Rear track (mm)					1.656			
Turning circle - kerb-to-kerb (m)					11,95			
Steering wheel rotation - lock-to-lock					2,52			
Drag coefficient (Cd)	From 0.31	From 0.31	From 0.33	From 0.33	From 0.32	From 0.33	From 0.33	From 0.34
	1101110.31	110111 0.51	110111 0.53	110111 0:33	110111 0.32	110111 0.33	110111 0.33	1101110.34
INTERIOR DIMENSIONS								
Headroom (with sunroof) (mm)				960 (	front) / 952 (rear)			
Legroom (mm)				1,023	(front) / 944 (rear)			
Luggage capacity (rear seats upright) (litres)*	793 (non-MeV) / 755 (MeV) / 619 (PHEV)							
Luggage capacity (rear seats forward) (litres)*					/ 1,804 (MHEV) / 1,662 (PHEV)			
					I-PHEV) / 1,239 (PHEV)			
Loadspace (max width) (litres)*	<u> </u>			1,031 (1101	, , 1,200 (11121)			
ALL-TERRAIN CAPABILITY								
Approach angle (deg)					22,5			
					22,5 22,9			
Departure angle (deg)					22,9			
Departure angle (deg) Ramp angle (deg)					22,9 19,0			
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm)					22,9 19,0 500			
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)					22,9 19,0			
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)					22,9 19,0 500			
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm) WEIGHT	1.951	1.951	2.017	2.083	22,9 19,0 500 213	1.953 (ROW)	2.078	7.189
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT Weight from (EU unladen) (kg)	1.951 750	1.951 750	2.017 750	2.083 750	22,9 19,0 500 213	1,953 (ROW) TBC	2.028 750	2.189 750
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT Weight from (EU unladen) (kg) Maximum towing - unbraked trailer (kg)	750	750	750	750	22,9 19,0 500 213 1.897 750	TBC	750	750
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT  Weight from (EU unladen) (kg) Maximum towing - unbraked trailer (kg) Maximum towing (kg)					22,9 19,0 500 213			
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT  Weight from (EU unladen) (kg) Maximum towing - unbraked trailer (kg) Maximum towing (kg)	750	750	750	750	22,9 19,0 500 213 1.897 750	TBC	750	750
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT Weight from (EU unladen) (kg) Maximum towing - unbraked trailer (kg) Maximum towing (kg)  PERFORMANCE & EFFICIENCY	750 2.400	750 2.400	750 2.400	750 2.400	22,9 19,0 500 213 1.897 750 2.400	TBC TBC	750 2.400	750 2.000
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT Weight from (EU unladen) (kg) Maximum towing (kg)  PERFORMANCE & EFFICIENCY 0-60mph (0-96km/h) (secs)	750 2.400 9,2	750 2.400 7,6	750 2.400 6,1	750 2.400	22,9 19,0 500 213 1.897 750 2.400	TBC TBC	750 2.400 5,1	750 2.000 5,0
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT  Weight from (EU unladen) (kg) Maximum towing - unbraked trailer (kg) Maximum towing (kg)  PERFORMANCE & EFFICIENCY 0-660mph (0-96km/h) (secs) 0-62mph (0-100km/h) (secs)	750 2.400 9,2 9,9	750 2.400 7,6 8,0	750 2.400 6,1 6,4	750 2.400 6,1 6,4	22,9 19,0 500 213 1.897 750 2.400	TBC TBC 5,8 6,1	750 2.400 5,1 5,4	750 2.000 5,0 5,3
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT Weight from (EU unladen) (kg) Maximum towing - unbraked trailer (kg) Maximum towing (kg)  PERFORMANCE & EFFICIENCY 0-60mph (0-96km/h) (secs) 50-75mph (0-100km/h) (secs)	750 2.400 9,2 9,9 7,6	750 2.400 7,6 8,0 5,8	750 2.400 6,1 6,4 4,4	750 2.400 6,1 6,4 4,4	22,9 19,0 500 213 1.897 750 2.400 6,9 7,3 5,1	TBC TBC  5,8 6,1 3,9	750 2.400 5,1 5,4 3,2	750 2.000 5,0 5,3 3,3
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT Weight from (EU unladen) (kg) Maximum towing - unbraked trailer (kg) Maximum towing (kg)  PERFORMANCE & EFFICIENCY 0-60mph (0-966m/h) (secs) 50-75mph (0-100km/h) (secs)	750 2.400 9,2 9,9	750 2.400 7,6 8,0	750 2.400 6,1 6,4	750 2.400 6,1 6,4	22,9 19,0 500 213 1.897 750 2.400	TBC TBC 5,8 6,1	750 2.400 5,1 5,4	750 2.000 5,0 5,3
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT Weight from (EU unladen) (kg) Maximum towing - unbraked trailer (kg) Maximum towing (kg)  PERFORMANCE & EFFICIENCY 0-60mph (0-96km/h) (secs) 0-62mph (0-100km/h) (secs) 50-75mph (80-120km/h) (secs) Top speed mph (km/h)	750 2.400 9,2 9,9 7,6	750 2.400 7,6 8,0 5,8	750 2.400 6,1 6,4 4,4	750 2.400 6,1 6,4 4,4	22,9 19,0 500 213 1.897 750 2.400 6,9 7,3 5,1	TBC TBC  5,8 6,1 3,9	750 2.400 5,1 5,4 3,2	750 2.000 5,0 5,3 3,3
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm) WEIGHT	750 2.400 9,2 9,9 7,6 121 (195)	750 2.400 7,6 8,0 5,8 130 (210)	750 2.400 6,1 6,4 4,4 143 (230)	750 2.400 6,1 6,4 4,4 143 (230)	22,9 19,0 500 213  1.897 750 2.400  6,9 7,3 5,1 135 (217)	5,8 6,1 3,9 149 (240)	750 2.400 5,1 5,4 3,2 155 (250)	750 2.000 5,0 5,3 3,3 149 (240)
Departure angle (deg) Ramp angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT Weight from (EU unladen) (kg) Maximum towing - unbraked trailer (kg) Maximum towing (kg)  PERFORMANCE & EFFICIENCY 0-60mph (0-96km/h) (secs) 0-62mph (0-100km/h) (secs) 50-75mph (80-120km/h) (secs) Top speed mph (km/h) EU - WLTP Fuel Consumption Combined TEL mpg (l/100km) <sup>1</sup>	750 2.400 9.2 9.9 7.6 121 (195) 45.6 (6.2) 42.8 (6.6)	750 2.400  7,6 8,0 5,8 130 (210) 45.6 (6.2)  42.2 (6.7)	750 2.400  6,1 6,4 4,4 143 (230) TBC  TBC	750 2.400 6.1 6,4 4,4 143 (230) 38.2 (7.4) 36.2 (7.8)	22,9 19,0 500 213  1.897 750 2.400  6,9 7,3 5,1 135 (217) 30.7 (9.2)  28.0 (10.1) 208	TBC TBC  5,8 6,1 3,9 149 (240) TBC  TBC	750 2.400 5,1 5,4 3,2 155 (250) 28.8 (9.8) 27.4 (10.3)	750 2.000 5,0 5,3 3,3 149 (240) 128.4 (2.2) 117.7 (2.4)
Departure angle (deg) Ramp angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT Weight from (EU unladen) (kg) Maximum towing - unbraked trailer (kg) Maximum towing (kg) PERFORMANCE & EFFICIENCY 0-60mph (0-96km/h) (secs) 0-62mph (0-100km/h) (secs) 50-75mph (80-120km/h) (secs) Top speed mph (km/h) EU - WLTP Fuel Consumption Combined TEL mpg (I/100km) <sup>‡</sup> EU - WLTP Fuel Consumption Combined TEL (g/km) <sup>‡</sup> EU - WLTP CO <sub>2</sub> Emissions Combined TEL (g/km) <sup>‡</sup>	750 2.400 9,2 9,9 7,6 121 (195) 45.6 (6.2)	750 2,400  7,6 8,0 5,8 130 (210) 45.6 (6.2)	750 2.400  6,1 6,4 4,4 143 (230) TBC	750 2.400 6,1 6,4 4,4 143 (230) 38.2 (7.4)	22,9 19,0 500 213  1.897 750 2.400  6,9 7,3 5,1 135 (217) 30.7 (9.2)	TBC TBC  5,8 6,1 3,9 149 (240) TBC	750 2.400 5,1 5,4 3,2 155 (250) 28.8 (9.8) 27.4 (10.3)	750 2.000 5,0 5,3 3,3 149 (240) 128.4 (2.2)
Departure angle (deg) Ramp angle (deg) Maximum wading depth (mm) Ground clearance (mm)  WEIGHT  Weight from (EU unladen) (kg) Maximum towing - unbraked trailer (kg) Maximum towing (kg)  PERFORMANCE & EFFICIENCY 0-60mph (0-96km/h) (secs) 0-62mph (0-100km/h) (secs) 50-75mph (80-120km/h) (secs) EU - WLTP Fuel Consumption Combined TEL mpg (I/100km) <sup>‡</sup> EU - WLTP Fuel Consumption Combined TEL mpg (I/100km) <sup>‡</sup>	750 2.400 9.2 9.9 7.6 121 (195) 45.6 (6.2) 42.8 (6.6)	750 2.400  7,6 8,0 5,8 130 (210) 45.6 (6.2)  42.2 (6.7)	750 2.400  6,1 6,4 4,4 143 (230) TBC  TBC	750 2.400 6.1 6,4 4,4 143 (230) 38.2 (7.4) 36.2 (7.8)	22,9 19,0 500 213  1.897 750 2.400  6,9 7,3 5,1 135 (217) 30.7 (9.2)  28.0 (10.1) 208	TBC TBC  5,8 6,1 3,9 149 (240) TBC  TBC	750 2.400 5,1 5,4 3,2 155 (250) 28.8 (9.8) 27.4 (10.3)	750 2.000 5,0 5,3 3,3 149 (240) 128.4 (2.2) 117.7 (2.4)

1) \*WLTP is the official EU test used to calculate standardised fuel consumption and CO<sub>2</sub> figures for passenger cars. It measures fuel, energy consumption, range and emissions. The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real world figures may differ. CO<sub>2</sub>, fuel economy, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted

2) \*Volume as measured by simulating the loadspace filled with liquid. Volume measured up to the headliner. Boot configuration and total loadspace will vary depending on model and if full size spare or space saver space wheel is fitted

3) Please check with your local market for features, model range and engine availability as they vary by market  $\frac{1}{2}$ 

4) Jaguar Land Rover is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessory. Figures are manufacturer's estimates